


bizhub



KONICA MINOLTA

2



www.konicaminoltabizhub.pl

Nr faksu Centrum serwisu			
Nazwa urządzenia	KM_C308		
Licznik kopii	89161	Licznik całkowity dupleksu	6111
Ilość oryginałów	83631	Ilość wydruków	77331
Liczba arkuszy wydruku	83442		

Kopia		Catk. ilość	Duży format
	Catk. ilość		5474
Czarno-biały		1936	100
Peł. kolor	[6]	3514	193
Jeden kolor		0	0
2 kolory		24	0
Drukuj		Catk. ilość	Duży format
	Catk. ilość		83687
Czarno-biały		26398	936
Peł. kolor	[7]	57239	4490
2 kolory		50	0
Razem (Kopia i Druk)		Catk. ilość	
	Catk. ilość		89161
Czarno-biały	[1]	28334	
Peł. kolor	[3]	60753	
Jeden kolor	[4]	0	
2 kolory	[5]	74	

Skanowanie		Catk. ilość	Duży format
	Czarno-biały	[2]	0
Peł. kolor	[8]	0	0
Skany		31131	847
Faks TX		0	
RX faksu		0	
		Bez OCR	Wraz z OCR
Liczba przestanych oryginałów DOCX		0	0
Liczba przesyłanych oryginałów XLSX		0	0
Liczba przesyłanych oryginałów PPTX		0	0

Catk. ilość		89161
Czarno-biały	[1]+[2]	28334
Kolor	[3]+[4]+[5]+[8]	60827

Uwaga

Licznik konserwacji	Przeгляд - Licznik Maint. - Set Dzień rozpocz. licz.	259 25000 26/03/2021
---------------------	--	----------------------------

Podawanie formatu papieru	Nr	Format papieru	Rodzaj papieru	Liczenie
	01	A3	---	7
	02	B4	---	0
	03	A4	---	177
	04	B5	---	0
	05	A5	---	0
	06	8x13	---	0
	07	8K	---	0
	08	16K	---	0
	09	B6	---	0
	10	Pozostate	---	0

Informacje Eco			Bieżący miesiąc	Ostatni miesiąc
		Całkowity czas podłączenia zasilania (H)	12.4	0.0
	Całkowity czas działania trybu czuwania (H)	6.0	0.0	
	Całkow. czas działania w trybie oszczędz. energii (H)	0.0	0.0	
	Całkowity czas pracy trybu (H)	0.3	0.0	

Uwaga

KONICA MINOLTA C308

Configuration Page

Print Operation Menu Map

Basic Setting

Default Paper Size = A4
Default Paper Type = Not Specified
Paper Tray = Auto
Output Tray = Elevate Tray
Binding Position = Left Binding
Double-Sided = Off
Staple = Off
Hole-Punch = Off
Orientation = Portrait
of Sets = 1
No Matching Paper in Tray Setting = Stop Printing (Tray Fixed)
Spool Setting = Off
Convert = Off
PDL Setting = Auto
Banner Setting = Disable
Banner Paper Tray = Auto
Color Settings = Document
Glossy Mode = Off
Toner Save = Off
Edge Enhancement = Off

PCL Setting

Font Source = 1
Font Number = 0
Font Point = 12.00
Font Pitch = 10.00
Symbol Set = PC-8, Code Page 437
Line/Page = 64 [Line / Page]
CR/LF Mapping = Off
Select Color = Auto Color
Thin Line Support = On

PS Setting

Print Reports = Disable
Text RGB Source = 4
Text Destination Profile = Auto
Image RGB Source = 4
Image Destination Profile = Auto
Graphics RGB Source = 4
Graphics Destination Profile = Auto
Simulation Profile = 21
Select Color = Auto Color

XPS Settings

Verify XPS Digital Signature = Disable

Test Print

Configuration
PCL Font List
PS Font List
Demo Page

I/F Setting

Network Rx Timeout = 60 [sec.]
USB Timeout = 60 [sec.]
Print XPS Errors = Enable

Installed

Printer HDD = Installed
Printer Memory = 2630 [MByte]

Printer Information

Installed Tray

Tray 1 = A4
Tray 2 = A4
Tray 3 = None
Tray 4 = None
LCT = A4

Option

Duplex Unit = Installed
Finisher = Not Available
Punch Unit = Not Available
Fold Unit = Not Available
Fax Unit = Not Available
Mailbin Unit = Not Available

Firmware Version

Management Version = 7
Printer Controller = A7PU0Y0-3000-GC2-U2

Network

MAC Address

MAC Address = 00:20:6B:B3:68:B5

TCP/IP

TCP/IP = Enable
IP Address = 169.254.74.229
Subnet Mask = 255.255.0.0
Default Gateway = 0.0.0.0
RAW Port 0 = 9100
RAW Port 1 = 9112
RAW Port 2 = 9113
RAW Port 3 = 9114
RAW Port 4 = 9115
RAW Port 5 = 9116

Netware

Netware = Disable



Appletalk

Appletalk = Disable

SMB

SMB = Disable

Test Page



The quick brown fox jumps over the lazy dog.
The quick brown fox jumps over the lazy dog .
The quick brown fox jumps over the lazy dog.
The quick brown fox jumps over the lazy dog.
The quick brown fox jumps over the lazy dog
The quick brown fox jumps over the laz
The quick brown fox jumps over th
The quick brown fox jumps ove
The quick brown fox jump