



KONICA MINOLTA

AccurioPrint C759 Flux DATASHEET

- ✓ Colour SRA3+ digital press
- ✓ Up to 75 ppm b/w and 65 ppm colour

Competitive prices and a good product mix are essential factors for being successful in today's markets. In the print industry, this means a combination of a wide range of products, reliable technology and cost-effective calculation. The AccurioPrint C759 is the answer to these challenges, offering a good mix of features, technologies and investment to drive a successful printing business.



YOUR ADVANTAGES WITH THE AccurioPrint C759 Flux

HIGHEST RELIABILITY

- Long-lasting parts and consumables
- Auto Refining Developer System (ARDS)
- For prints with maximum efficiency
- For lucrative short-run printing

DURABLE PERFORMANCE

- Up to 65 A4 pages in colour
- Up to 32 A3 pages in colour
- Enhanced overall scanning performance for scanning and copying
- For higher productivity
- For more jobs in the print room

READY MADE PRINT PRODUCTS

- 20-sheet booklet making
- 100-sheet stapling
- For highest automation and enormous productivity
- For more profit in the print room

GEARED UP FINISHING

- Letter fold-in
- Stacking up to 3,000 sheets
- Optional 2- & 4-hole punching
- Minimised human interaction
- For optimised budgets



ENVIRONMENT AWARENESS

- Low power consumption
- Contains recycled plastic and bioplastic
- For reduced environmental impact
- Improved efficiency based on green values



HIGH END PRINT CONTROL

- AccurioPro Flux Essential Software
- Imposition and Hotfolder functionality
- Make-Ready
- For intuitive operations
- To save time and money

EASE OF USE

- Innovative 10-inch capacitive colour touch screen panel
- Pop-up windows open for all function settings
- Seamless integration into document workflows
- For maximum ease of operation
- Frees operators for more important jobs
- Standard up-right Panel for convenient operation



SOPHISTICATED MEDIA HANDLING

- Up to 6,650 sheets paper input capacity
- Up to 6 paper input trays
- For enhanced overall productivity
- For extreme cost savings


COMPREHENSIVE MEDIA PROCESSING

- Up to 300 gsm paper weight in simplex
- Up to 256 gsm paper weight in duplex
- Banner printing support
- For highly flexible print products
- To stand out from the competition

PERFECT IMAGE QUALITY

- True 1,200 x 1,200 dpi resolution
- Simitri® HD toner technology
- For new print applications
- For growing businesses

Simitri HD
High Definition Polymerised Toner



Configuration options



Technical specifications

SYSTEM SPECIFICATIONS

| | |
|---|--|
| Resolution | 1,800 x 600 dpi 1,200 x 1,200 dpi |
| Paper weight | 52–300 gsm |
| Duplex unit | Non-stack type; 52–256 gsm |
| Paper sizes | A6–SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm |
| Maximum image area | 307 x 437 mm (SRA3); 302 x 448 mm (A3+) |
| Paper input capacity | Standard: 3,650 sheets Max.: 6,650 sheets |
| Paper output capacity | Max.: 3,200 sheets |
| Main unit dimensions (W x D x H) | 670 x 938 x 1,232 mm |
| Main unit weight | 219 kg |

PRODUCTIVITY

| | |
|------------------------------------|--------|
| A4 Colour - max. per minute | 65 ppm |
| A3 Colour - max. per minute | 32 ppm |
| A4 Mono - max. per minute | 75 ppm |
| A3 Mono - max. per minute | 37 ppm |

SOFTWARE

AccurioPro Flux Essential

SCANNER SPECIFICATIONS

| | |
|------------------------|---|
| Scan speed A4 | 1-sided original: 60 ipm (600 dpi), 120 ipm (300 dpi) 2-sided original: 120 ipm (600 dpi), 240 ipm (300 dpi) |
| Scan resolution | 600 x 600 dpi |
| Scan modes | Scan-to-eMail (Scan-to-Me) Scan-to-SMB (Scan-to-Home) Scan-to-FTP Scan-to-Box Scan-to-USB Scan-to-WebDAV Scan-to-DPWS Network TWAIN scan |
| Scan formats | JPEG; TIFF; PDF; PDF/A 1a and 1b (optional); compact PDF; encrypted PDF; searchable PDF (optional); XPS; compact XPS; PPTX; searchable PPTX (optional); searchable DOCX/XLSX (optional) |
| Destinations | 2,100 (single + group), LDAP, PSDA support |

- All specifications refer to A4-size paper of 80 gsm quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any prices or specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

COPIER SPECIFICATIONS

| | |
|---------------------------|------------------------|
| Gradations | 256 gradations |
| FCOT (mono/colour) | ≤3.6 / ≤4.9 seconds |
| Magnification | 25–400%, in 0.1% steps |
| Multiple copies | 1–9,999 |
| Original format | A6S,B6S, A5–A3 |

ACCESSORIES

| | |
|--|------------|
| Large capacity tray A4 | LU-303 |
| Large capacity tray SRA3 | LU-205 |
| Staple finisher | FS-536 |
| Punch kit for FS-536/SD | PK-520 |
| Booklet finisher | FS-536SD |
| Staple finisher | FS-537 |
| Punch kit for FS-537/SD | PK-523 |
| Booklet finisher | FS-537SD |
| Post inserter for FS-537/SD | PI-507 |
| Job separator for FS-537/SD | JS-602 |
| Z-fold unit for FS-537/SD | ZU-609 |
| Output tray | OT-508 |
| Key pad | KP-101 |
| Working table | WT-506 |
| Upright panel | WT-513 |
| Fax board | FK-516 |
| Keyboard holder | KH-102 |
| USB keyboard connection | EK-610 |
| USB keyboard connection, Bluetooth | EK-611 |
| Biometric authentication | AU-102 |
| Security kit | SC-508 |
| Double feed detection kit | UK-501 |
| Wireless Lan AP | UK-215 |
| Trusted Platform Module (TPM) | LK-115v2 |
| Mount kit for ID card reader | MK-735 |
| Mount kit banner tray | MK-715 |
| Banner tray | BT-C1e |
| HDD Mirroring | HD-524 |
| i-Option licence PDF/A, PDF encryption, digital signature | LK-102v3 |
| i-Option licence searchable PDF and PPTX | LK-105v4 |
| i-Option licence printing barcode fonts | LK-106 |
| i-Option licence printing of Unicode fonts | LK-107 |
| i-Option licence printing of OCR (A and B) fonts | LK-108 |
| i-Option licence generates various file formats, incl. DOCX and XLSX | LK-110 |
| i-Option licence serverless pull printing | LK-114 |
| i-Option licence trusted platform module for protection of data encryption and decryption | LK-115 |
| i-Option licence native ThinPrint client | LK-111 |
| Wireless LAN | SX-BR-4600 |
| Fax stamp kit | SP-501 |
| Relay unit | RU-515 |